




HP Cartuccia inchiostro grigio 70 da 130 ml

Marchio : HP

Codice prodotto: C9450A

Nome del prodotto : Cartuccia inchiostro grigio HP 70 da 130 ml



- Ideali per i fotografi professionisti e i progettisti grafici. Infatti, consentono di ottenere stampe fotografiche e artistiche di altissima qualità, nonché prove colore e riproduzioni a colori che non si modificheranno nel tempo. Garantito!

Cartuccia inchiostro grigio HP 70 da 130 ml

HP Cartuccia inchiostro grigio 70 da 130 ml:

Ideali per i fotografi professionisti e i progettisti grafici. Infatti, consentono di ottenere stampe fotografiche e artistiche di altissima qualità, nonché prove colore e riproduzioni a colori che non si modificheranno nel tempo. Garantito!

Stampate quello che avete in mente. Ripetendo la stampa, il colore e la qualità rimarranno sicuramente inalterati e le stampe dureranno a lungo. Nessun problema grazie ai materiali di consumo e agli inchiostri fotografici originali HP. Evitate sprechi e ripetizioni delle stampe, che costano tempo e denaro.




Prestazione		Condizioni ambientali	
Compatibilità *	HP DesignJet Z3100, Z3200 Photo	Intervallo di temperatura	15 - 35 °C
Colori di stampa	Grigio	Umidità	20 - 80%
Codice OEM	C9450A	Dati logistici	
Segmento HP	Business	Numero di cartoni per pallet	84 pz
Paese di origine	Singapore	Dimensioni pallet (L x P x A)	1219 x 1016 x 1500 mm
Dimensioni e peso		Quantità per pallet	1680 pz
Larghezza	40 mm	Numero di livelli per pallet	6 pz
Profondità	202 mm	Dimensione pallet (EU)	1219 x 1016 x 1500 mm
Altezza	129 mm	Peso del pallet	436 g
Peso	190 g	Quantità per cartone principale	20 pz
Dati su imballaggio		Peso del cartone principale	4,9 g
Larghezza imballo	202 mm	Quantità per pacco	1 pz
Profondità imballo	40 mm	Codice del Sistema Armonizzato (SA)	84439990
Altezza imballo	129 mm	Dettagli tecnici	
Peso dell'imballo	230 g	Numero di scatole per strato	14 pz
Condizioni ambientali		Altre caratteristiche	
Intervallo temperatura di funzionamento	15 - 35 °C	Quantità per scatola	1 pz
Range di umidità di funzionamento	20 - 80%		



0807027516282



807027516282



5051964033653



8827805286734



5082014032340



3092014023431




5054533003972



5052454665415



4053162281936



5052916408512



0882780528673



882780528673



0882780757400



882780757400



0885631723722



885631723722

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.