**brother**
at your side

# Brother MFC-J6540DW stampante multifunzione Ad inchiostro A3 1200 x 4800 DPI Wi-Fi

**Marchio :** Brother          **Codice prodotto:** MFC-J6540DW

**Nome del prodotto :** MFC-J6540DW

Stampante multifunzione professionale che permette di stampare su 2 lati in A4 e A3, display touchscreen a colori da 6,8cm e funzioni di copia in A3, scansione e fax. Per piccoli uffici e gruppi di lavoro aziendali esigenti.

Brother MFC-J6540DW stampante multifunzione Ad inchiostro A3 1200 x 4800 DPI Wi-Fi:

La stampante multifunzione professionale A3 Brother MFC-J6540DW è progettata per durare a lungo, per soddisfare le esigenze dei piccoli uffici e dei gruppi di lavoro più esigenti.
La funzionalità A3 consente di produrre una varietà di documenti a colori in A3 e A4, senza problemi, con stampe di alta qualità, velocità di stampa elevate e costi di gestione ridotti. Questo dispositivo multifunzione offre funzionalità di stampa, copia, scansione e fax. Stampa dalla postazione di lavoro, in una sala riunioni o dal dispositivo mobile con connettività wireless.

## Printing

| | |
|---|---|
| Print technology * | Inkjet |
| Printing * | Colour printing |
| Duplex printing * | ✔ |
| Maximum resolution * | 1200 x 4800 DPI |
| Borderless printing | ✔ |

## Copying

| | |
|---|---|
| Copying * | Colour copying |
| Maximum copy resolution * | 1200 x 4800 DPI |
| Maximum number of copies | 999 copies |
| Copier resize | 25 - 400% |
| N-in-1 copy function | ✔ |
| N-in-1 copy function (N=) | 2, 4 |
| ID-card copy function | ✔ |
| PC free copying | ✔ |

## Scanning

| | |
|---|---|
| Scanning * | Colour scanning |
| Optical scanning resolution * | 1200 x 2400 DPI |
| Maximum scan resolution | 19200 x 19200 DPI |
| Maximum scan area | 600 x 600 mm |
| Scanner type * | Flatbed & ADF scanner |
| Scan to | Cloud, E-mail, FTP, File, OCR, USB |
| Input colour depth | 48 bit |
| Output colour depth | 24 bit |
| Input greyscale depth | 16 bit |
| Output greyscale depth | 8 bit |
| Scan drivers | TWAIN, WIA |

## Network

| | |
|---|---|
| Security algorithms | 64-bit WEP, 128-bit WEP, WPA-PSK, WPA2-PSK |
| Supported network protocols (IPv4) | APIPA (Auto IP), TFTP Server, ARP, BOOTP, CIFS Client, Custom Raw Port/Port 9100, DHCP, DNS Resolver, FTP Client and Server, HTTP Server, ICMP, IPP, LDAP, LLMNR Responder, LPR/LPD, mDNS, RARP, SMTP Client, SNMPv1/v2c/v3, SNTP Client, Web Services (Print/Scan), WINS/NetBIOS Name Resolution |
| Supported network protocols (IPv6) | TFTP Server, HTTP Server, IPP, FTP Client, NDP, RA, DNS Resolver, LLMNR Responder, LPR/LPD, Custom Raw Port/Port 9100, SMTP Client, CIFS Client, SNMPv1/v2c/v3, ICMPv6, SNTP Client, LDAP, Web Services (Print/Scan) |
| Mobile printing technologies | Apple AirPrint, Brother iPrint & Scan, Google Cloud Print, Mopria Print Service |

## Performance

| | |
|---|---|
| Internal memory * | 256 MB |
| Built-in processor | ✔ |
| Processor frequency | 576 MHz |
| Sound pressure level (printing) | 50 dB |

## Design

| | |
|---|---|
| Product colour * | Grey, White |
| Market positioning * | Home & office |
| Built-in display * | ✔ |
| Display | TFT |

## Fax

| | |
|---|---|
| Faxing * | Colour faxing |
| Fax resolution (black) | 203 x 392 DPI |
| Fax resolution (colour) | 203 x 196 DPI |
| Modem speed | 33.6 Kbit/s |
| Fax memory | 180 pages |

## Features

| | |
|---|---|
| Maximum duty cycle * | 30000 pages per month |
| Ink tank system | ✔ |
| Number of print cartridges * | 4 |
| Printing colours * | Black, Cyan, Magenta, Yellow |
| Country of origin | Philippines |

## Input & output capacity

| | |
|---|---|
| Total input capacity * | 250 sheets |
| Total output capacity * | 100 sheets |
| Multi-Purpose tray | ✔ |
| Multi-Purpose tray input capacity | 100 sheets |
| Auto document feeder (ADF) | ✔ |
| Auto document feeder (ADF) input capacity | 50 sheets |

## Paper handling

| | |
|---|---|
| Maximum ISO A-series paper size * | A3 |
| Paper tray media types * | Coated paper, Glossy paper, Plain paper, Recycled paper |
| ISO A-series sizes (A0...A9) * | A3, A4, A5, A6 |
| Envelopes sizes | C5, Com-10, DL, Monarch |
| Photo paper sizes (imperial) | 3.5x5,4x6,5x7 |
| Borderless printing media sizes | Index card |

## Ports & interfaces

| | |
|---|---|
| Direct printing * | ✔ |
| USB port | ✔ |

## Network

| | |
|---|---|
| Wi-Fi * | ✔ |
| Ethernet LAN * | ✔ |
| Cabling technology | 10/100Base-T(X) |
| Ethernet LAN data rates | 10,100 Mbit/s |
| Wi-Fi standards | 802.11b, 802.11g, Wi-Fi 4 (802.11n) |

## Design

| | |
|---|---|
| Display diagonal | 9.4 cm (3.7") |
| Control type | Touch |
| Colour display | ✔ |

## Power

| | |
|---|---|
| Power consumption (copying) | 27 W |
| Power consumption (ready) | 5.5 W |
| Power consumption (sleep) | 1.5 W |
| Power consumption (off) | 0.04 W |
| AC input voltage | 100 - 120 V |
| AC input frequency | 50 - 60 Hz |

## System requirements

| | |
|---|---|
| Windows operating systems supported | Windows 10, Windows 7, Windows 8, Windows 8.1 |
| Mac operating systems supported | ✔ |
| Server operating systems supported | Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016 |

## Operational conditions

| | |
|---|---|
| Operating relative humidity (H-H) | 20 - 80% |
| Operating temperature (T-T) | 10 - 35 °C |

## Sustainability

| | |
|---|---|
| Sustainability certificates | ENERGY STAR |

## Weight & dimensions

| | |
|---|---|
| Width | 561 mm |
| Depth | 423 mm |
| Height | 681 mm |
| Weight | 19.9 kg |

## Packaging data

| | |
|---|---|
| Package width | 681 mm |
| Package depth | 561 mm |
| Package height | 423 mm |
| Package weight | 22.3 kg |

## Packaging content

| | |
|---|---|
| Cartridge(s) included | ✔ |
| Cables included | Phone |

## Logistics data

| | |
|---|---|
| Harmonized System (HS) code | 84433100 |
| Pallet gross height | 18.1 cm |
| Pallet gross weight | 198.5 kg |
| Master (outer) cases per pallet | 8 pc(s) |
| Layers per pallet | 4 pc(s) |
| Products per pallet | 8 pc(s) |

## Technical details

| | |
|---|---|
| Master (outer) cases per pallet layer | 2 pc(s) |
| Pallet type | 800 x 1200 mm |

4977766817936