

Ricoh fi-7460 ADF + scanner ad alimentazione manuale 600 x 600 DPI A3 Grigio, Bianco

Marchio: Ricoh Codice prodotto: PA03710-B051

Nome del prodotto: fi-7460

ADF, 600×600 dpi, $2 \times CCD$, 24 bit, 60 ppm, 120 ipm (200 & 300 DPI), USB 3.0, 7.6 kg Ricoh fi-7460. Massima dimensione di scansione: 304.8×5588 mm, Risoluzione di scansione ottica: 600×600 DPI, Profondità di scansione del colore in uscita: 24 bit. Tipo di scansione: ADF + scanner ad alimentazione manuale, Colore del prodotto: Grigio, Bianco. Tipo sensore: Dual CCD, Fonte di luce: LED bianco (4x), Driver di scansione: ISIS, TWAIN. Capacità documenti: 100 fogli. Massimo formato carta serie ISO A: A3, Scanning media types supported: Carta normale, Dimensioni ISO serie-A (4x). A8






Scanning		Weight & dimensions	
Maximum scan size * Optical scanning resolution * Colour scanning Duplex scanning *	304.8 x 5588 mm 600 x 600 DPI	Width Depth Height Weight	380 mm 209 mm 168 mm 7.6 kg
Output colour depth	24 bit	Packaging data	
Film scanning ADF scan speed (b/w, A4) ADF scan speed (colour, A4) Duplex ADF scan speed (b/w, A4) Duplex ADF scan speed (colour, A4)	·	Quantity per pack Package width Package depth Package height Package weight	1 pc(s) 505 mm 302 mm 330 mm 9.9 kg
Black/white scanning colour modes	Grayscale, Monochrome	Packaging content	
Design		Cables included	AC, USB
Scanner type * Product colour * Built-in display *	ADF + Manual feed scanner Grey, White ✓	Quick start guide AC adapter included Drivers included	<i>Y Y</i>
Performance Sensor type * Light source Scan drivers Input capacity	Dual CCD White LED (4x) ISIS, TWAIN	Bundled software	PaperStream IP, PaperStream Capture, Software Operation Panel, Error Recovery Guide, Scanner Central Admin tools, ScanSnap Manager, Scan to Microsoft SharePoint, ABBYY FineReader, 2D barcode for PaperStream
Auto document feeder (ADF) input	100 sheets	Sustainability	
capacity Paper handling		Sustainability certificates	ENERGY STAR
Scanning media types supported Multi feed detection Maximum ISO A-series paper size * ISO A-series sizes (A0A9) Media thickness (min)	Plain paper ✓ A3 A4, A8 1.4 mm		

Paper handling		System requirements	
Auto Document Feeder (ADF) media weight Maximum scan area (ADF) Minimum scan area (ADF) Ports & interfaces USB port * USB version Socket connector type Standard interfaces	27 - 413 g/m ² 304.8 x 431.8 mm 50.8 x 69 mm		Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7
Power			Professional x64, Windows 7 Starter, Windows 7 Starter x64,
Power supply type * Power consumption (typical) Power consumption (standby) Power consumption (PowerSave) Input voltage	AC 36 W 0.35 W 1.4 W 100-240 V	Windows operating systems supported	Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 X64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Business, Windows Vista Enterprise x64, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Premium, Windows Vista Home Premium, Windows Vista Ultimate, Windows Vista Ultimate x64 Windows Server 2008, Windows Server 2008 R2 x64, Windows
		Server operating systems supported	Server 2008 x64, Windows Server 2012 R2 x64, Windows Server 2012 x64, Windows Server 2016 x64
		Operational conditions	
		Operating temperature (T-T)	5 - 35 °C
		Operating relative humidity (H-H)	20 - 80%
		Other features	
		Compliance certificates	RoHS
		Logistics data	
		Country of origin Pallet gross length Pallet gross width Harmonized System (HS) code Paper packaging weight Metal packaging weight Wood packaging weight Plastic packaging weight Products per pallet (air) Products per pallet (sea) Pallet height (sea) Pallet height (air) Cardboard packaging weight Foil packaging weight Polystyrene (EPS/EPP) packaging	Indonesia 121.9 cm 101.6 cm 8471607000 2.4 kg 0 g 0 g 15 g 24 pc(s) 40 pc(s) 180 cm 114 cm 1.2 kg 15 g 200 g

Glass packaging weight

0 g





4939761308482

4058154054949

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.