RICOH
imagine. change.

Ricoh fi-7480 Scanner ADF 600 x 600 DPI A3 Grigio, Bianco

Marchio : Ricoh

**Nome del prodotto :** fi-7480

Codice prodotto: PA03710-B001

ADF, 600 x 600 dpi, 2 x CCD, 24 bit, 80 ppm, 160 ipm (200 & 300 DPI), USB 3.0, 7.6 kg
Ricoh fi-7480. Massima dimensione di scansione: 304,8 x 5588 mm, Risoluzione di scansione ottica: 600 x 600 DPI, Profondità di scansione del colore in uscita: 24 bit. Tipo di scansione: Scanner ADF, Colore del prodotto: Grigio, Bianco. Tipo sensore: Dual CCD, Fonte di luce: LED bianco (4x), Driver di scansione: ISIS, TWAIN. Capacità documenti: 100 fogli. Massimo formato carta serie ISO A: A3, Scanning media types supported: Scheda plastica, Dimensioni ISO serie-A (A0...A9): A3, A4, A8

Ora con un'estensione di garanzia gratuita* di **3 anni**
*Si applicano termini e condizioni

Scanning

Maximum scan size *	304.8 x 5588 mm
Optical scanning resolution *	600 x 600 DPI
Colour scanning	✔
Duplex scanning *	✔
Output colour depth	24 bit
Output greyscale depth	8 bit
Output monochrome depth	1 bit
Film scanning	✘
ADF scan speed (b/w, A4)	80 ppm
ADF scan speed (colour, A4)	80 ppm
Duplex ADF scan speed (b/w, A4)	160 ipm
Duplex ADF scan speed (colour, A4)	160 ipm
Black/white scanning colour modes	Grayscale, Monochrome

Design

Scanner type *	ADF scanner
Product colour *	Grey, White
Built-in display *	✔

Performance

Sensor type *	Dual CCD
Light source	White LED (4x)
Scan drivers	ISIS, TWAIN

Input capacity

Auto document feeder (ADF) input capacity	100 sheets

Paper handling

Scanning media types supported	Plastic Card
Multi feed detection	✔
Maximum ISO A-series paper size *	A3

Power

Power consumption (PowerSave)	1.4 W
Input voltage	100-240 V

Weight & dimensions

Width	380 mm
Depth	209 mm
Height	168 mm
Weight	7.6 kg

Packaging data

Quantity per pack	1 pc(s)
Package width	505 mm
Package depth	302 mm
Package height	330 mm
Package weight	9.9 kg

Packaging content

Cables included	AC
Quick start guide	✔
AC adapter included	✔
Drivers included	✔
Bundled software	PaperStream IP, PaperStream Capture, Software Operation Panel, Error Recovery Guide, Scanner Central Admin tools, ScanSnap Manager, Scan to Microsoft SharePoint, ABBYY FineReader, 2D barcode for PaperStream

Sustainability

Sustainability certificates	ENERGY STAR

Paper handling

ISO A-series sizes (A0...A9)	A3, A4, A8
Media thickness (min)	1.4 mm
Plastic card media weight	27 - 413 g/m²
Auto Document Feeder (ADF) media weight	27 - 413 g/m²
Maximum scan width	30.5 cm
Maximum scan length	5.588 mm
Maximum scan area (ADF)	304.8 x 431.8 mm
Minimum scan area (ADF)	50.8 x 69 mm

Ports & interfaces

USB port *	✔
USB version	3.2 Gen 1 (3.1 Gen 1)
USB connector type	USB Type-B
Socket connector type	C5
Standard interfaces	USB 3.2 Gen 1 (3.1 Gen 1)

Power

Power supply type *	AC
Power consumption (typical)	43 W
Power consumption (standby)	0.35 W
Power consumption (off)	0.35 W

System requirements

Windows operating systems supported	Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Professional x64
Server operating systems supported	Windows Server 2008, Windows Server 2008 R2 x64, Windows Server 2008 x64, Windows Server 2012 R2 x64, Windows Server 2012 x64, Windows Server 2016 x64

Operational conditions

Operating temperature (T-T)	5 - 35 °C
Operating relative humidity (H-H)	20 - 80%

Other features

Compliance certificates	RoHS
Selectable background colour	✔
Background colours	Black, White

Logistics data

Country of origin	Indonesia
Pallet gross length	121.9 cm
Pallet gross width	101.6 cm
Harmonized System (HS) code	8471607000
Paper packaging weight	2.4 kg
Metal packaging weight	0 g
Wood packaging weight	0 g
Plastic packaging weight	15 g
Products per pallet (air)	24 pc(s)
Products per pallet (sea)	40 pc(s)
Pallet height (sea)	180 cm
Pallet height (air)	114 cm
Cardboard packaging weight	1.2 kg
Foil packaging weight	15 g
Polystyrene (EPS/EPP) packaging weight	200 g
Glass packaging weight	0 g

4939761308444