



Canon i-SENSYS MF657Cdw Laser A4 1200 x 1200 DPI 21 ppm Wi-Fi

Marchio : Canon

Famiglia del prodotto: i-SENSYS

Codice prodotto: 5158C001




Nome del prodotto :
MF657Cdw

21 ppm (A4), 1200 x 1200 dpi, UFR II, USB 2.0, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, LCD

Canon i-SENSYS MF657Cdw. Tecnologia di stampa: Laser, Stampa: Stampa a colori, Risoluzione massima: 1200 x 1200 DPI. Copia: Copia a colori, Risoluzione di copia massima: 600 x 600 DPI. Scansione: Scansione a colori, Risoluzione di scansione ottica: 600 x 600 DPI. Fax: Fax a colori. Funzione duplex: Copia, Stampa. Massimo formato carta serie ISO A: A4. Wi-Fi. Stampa diretta. Colore del prodotto: Nero, Bianco

Printing		Paper handling	
Print technology *	Laser	Maximum ISO A-series paper size *	A4
Printing *	Colour printing	Paper tray media types *	Coated paper, Envelopes, Heavy paper, Labels, Plain paper, Postcard, Recycled paper, Thin paper
Duplex printing *	✓	ISO A-series sizes (A0...A9) *	A4, A5
Maximum resolution *	1200 x 1200 DPI	ISO B-series sizes (B0...B9)	B5
Print speed (black, normal quality, A4/US Letter) *	21 ppm	Non-ISO print media sizes	Executive, Legal, Letter, Oficio, Statement
Time to first page (black, normal)	10.4 s	Envelopes sizes	C5, Com-10, DL, Monarch
Time to first page (colour, normal)	10.5 s	Paper tray media weight	60 - 163 g/m ²
Secure printing	✓		
Copying		Ports & interfaces	
Duplex copying *	✓	Direct printing *	✓
Duplex copying mode	Auto	USB port	✓
Copying *	Colour copying		
Maximum copy resolution *	600 x 600 DPI	Network	
Maximum number of copies	999 copies	Wi-Fi *	✓
Copier resize	25 - 400%	Ethernet LAN *	✓
ID-card copy function	✓	Ethernet LAN data rates	10,100,1000 Mbit/s
Scanning		Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Scanning *	Colour scanning	Security algorithms	64-bit WEP, 128-bit WEP, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSK
Optical scanning resolution *	600 x 600 DPI	Management protocols	SNMPv1, SNMPv3 (IPv4,IPv6)
Scanner type *	Flatbed & ADF scanner	Performance	
Scan to	Cloud, E-mail, FTP, PC, USB	Internal memory *	1024 MB
Image formats supported	JPEG, PNG, TIFF	Built-in processor	✓
Document formats supported	PDF	Processor frequency	800 MHz
Input colour depth	24 bit	Design	
Output colour depth	24 bit	Product colour *	Black, White
Greyscale levels	256	Market positioning *	Business
Scan drivers	ICA, TWAIN, WIA	Built-in display *	✓
Fax		Display	LCD
Faxing *	Colour faxing	Control type	Touch
Modem speed	33.6 Kbit/s	Colour display	✓
Fax memory	512 pages	Power	
Speed dialling	✓	Power consumption (max)	850 W
Features		Power consumption (printing)	370 W
Recommended duty cycle	250 - 2500 pages per month	Power consumption (standby)	11 W
Maximum duty cycle *	30000 pages per month	Power consumption (sleep)	0.8 W
Duplex functions *	Copy, Print		

Features		Power	
Printing colours *	Black, Cyan, Magenta, Yellow	Energy Star Typical Electricity Consumption (TEC)	0.19 kWh/week
Page description languages	PCL 5c, PCL 6, UFR II	AC input voltage	220 - 240 V
Input & output capacity		AC input frequency	50 - 60 Hz
Total number of input trays *	1	System requirements	
Total input capacity *	250 sheets	Windows operating systems supported	Windows 10, Windows 11, Windows 8.1
Total output capacity *	100 sheets		Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey
Multi-Purpose tray	✓	Mac operating systems supported	
Auto document feeder (ADF)	✓	Server operating systems supported	Windows Server 2022
Auto document feeder (ADF) input capacity	50 sheets	Operational conditions	
Maximum input capacity	251 sheets	Operating relative humidity (H-H)	20 - 80%
		Operating temperature (T-T)	10 - 30 °C
		Weight & dimensions	
		Width	451 mm
		Depth	460 mm
		Height	360 mm
		Weight	22.6 kg



4549292186024

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 13-MAR-2025. Prints or copies of Information are only valid on the printed Publication date