

Canon imageRUNNER 1643iF Laser A4 600 x 600 DPI 43 ppm Wi-Fi

Marchio : Canon

Famiglia del prodotto:
imageRUNNER

Codice prodotto: 5160C006

Nome del prodotto : 1643iF

Canon imageRUNNER 1643iF. Tecnologia di stampa: Laser, Stampa: Mono stampa, Risoluzione massima: 600 x 600 DPI. Copia: Mono copia, Risoluzione di copia massima: 600 x 600 DPI. Scansione: Scansione a colori, Risoluzione di scansione ottica: 600 x 600 DPI. Fax: Mono fax. Funzione duplex: Copia, Stampa, Scansione. Massimo formato carta serie ISO A: A4. Wi-Fi. Stampa diretta. Colore del prodotto: Nero, Bianco

Printing		Paper handling	
Print technology *	Laser	ISO B-series sizes (B0...B9)	B5
Printing *	Mono printing	Custom media width	76.2 - 216 mm
Duplex printing *	✓	Custom media length	127 - 355.6 mm
Maximum resolution *	600 x 600 DPI	Paper tray media weight	60 - 120 g/m ²
Print speed (black, normal quality, A4/US Letter) *	43 ppm	Multi-Purpose Tray media weight	60 - 199 g/m ²
Duplex print speed (black, normal quality, A4/US Letter)	36 ppm	Ports & interfaces	
Warm-up time	14 s	Direct printing *	✓
Secure printing	✓	USB port	✓
Booklet printing function	✓	USB 2.0 ports quantity	3
Poster printing function	✓	Network	
Copying		Wi-Fi *	✓
Duplex copying *	✓	Ethernet LAN *	✓
Copying *	Mono copying	Cabling technology	10/100/1000Base-T(X)
Maximum copy resolution *	600 x 600 DPI	Ethernet LAN data rates	10,100,1000 Mbit/s
Maximum copy size	A4	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Copy speed (black, normal quality, A4)	43 cpm	Near Field Communication (NFC)	✓
Time to first copy (black, normal)	6.4 s	Security algorithms	IPSec, SMTP-AUTH, SNMPv3, TLS
Maximum number of copies	999 copies	Performance	
Copier resize	25 - 400%	Internal memory *	1000 MB
Scanning		Sound pressure level (printing)	54 dB
Duplex scanning *	✓	Sound pressure level (duplex printing)	53 dB
Scanning *	Colour scanning	Sound pressure level (standby)	24 dB
Optical scanning resolution *	600 x 600 DPI	Sound power level (printing)	72.9 dB
Scanner type *	Flatbed & ADF scanner	Design	
Scan to	Cloud, E-mail, Fax, TWAIN, USB, WIA	Product colour *	Black, White
Scan speed (colour)	13 ppm	Market positioning *	Business
Scan speed (black)	38 ppm	Built-in display *	✓
Duplex scan speed (colour)	26 ppm	Display	TFT
Duplex scan speed (black)	70 ppm	Display diagonal	12.7 cm (5")
Image formats supported	JPEG, TIFF	Control type	Touch
Document formats supported	PDF	Colour display	✓
Scan drivers	TWAIN, WIA	Power	
Fax		Power consumption (max)	1420 W
Duplex faxing	✓	Power consumption (standby)	13.6 W
Faxing *	Mono faxing	Power consumption (sleep)	0.7 W
Fax resolution (black)	400 x 400 DPI	Power consumption (off)	0.1 W
Modem speed	33.6 Kbit/s	Energy Star Typical Electricity Consumption (TEC)	1.4 kWh/week
Fax memory	512 pages	AC input voltage	220 - 240 V
Speed dialling	✓	AC input frequency	50 - 60 Hz

Features		System requirements	
Duplex functions *	Copy, Print, Scan	Windows operating systems supported	Windows 10, Windows 7, Windows 8.1
Digital sender	✓		Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur
Number of print cartridges *	1	Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur
Printing colours *	Black		Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur
Page description languages	PCL 5, PCL 6, PostScript 3, UFR II	Server operating systems supported	Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016
Printer fonts	PCL, PostScript		Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016
Input & output capacity		Operational conditions	
Total input capacity *	650 sheets	Operating relative humidity (H-H)	20 - 80%
Total output capacity *	150 sheets	Operating temperature (T-T)	10 - 30 °C
Multi-Purpose tray	✓	Weight & dimensions	
Multi-Purpose tray input capacity	100 sheets	Width	494 mm
Maximum input capacity	2300 sheets	Depth	595 mm
Paper handling		Height	452 mm
Maximum ISO A-series paper size *	A4	Weight	19 kg
Paper tray media types *	Bond paper, Envelopes, Labels, Plain paper, Recycled paper, Thick paper, Thin paper	Logistics data	
ISO A-series sizes (A0...A9) *	A4, A5, A6	Harmonized System (HS) code	84433100

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 13-MAR-2025. Prints or copies of Information are only valid on the printed Publication date