



Canon i-SENSYS X 1440iF Laser A4 1200 x 1200 DPI 40 ppm Wi-Fi

Marchio : Canon

Famiglia del prodotto: i-SENSYS

Codice prodotto: 5951C002

Nome del prodotto : X 1440iF

Canon i-SENSYS X 1440iF. Tecnologia di stampa: Laser, Stampa: Mono stampa, Risoluzione massima: 1200 x 1200 DPI. Copia: Mono copia, Risoluzione di copia massima: 600 x 600 DPI. Scansione: Scansione a colori, Risoluzione di scansione ottica: 600 x 600 DPI. Fax: Mono fax. Funzione duplex: Copia, Fax, Stampa, Scansione. Massimo formato carta serie ISO A: A4. Wi-Fi. Stampa diretta. Colore del prodotto: Nero, Bianco



Printing		Paper handling	
Print technology *	Laser	ISO A-series sizes (A0...A9) *	A4, A5, A6
Printing *	Mono printing	ISO B-series sizes (B0...B9)	B5
Duplex printing *	✓	Non-ISO print media sizes	Executive, Index card, Legal, Letter, Oficio, Statement
Maximum resolution *	1200 x 1200 DPI	Envelopes sizes	C5, Com-10, DL, Monarch
Print speed (black, normal quality, A4/US Letter) *	40 ppm	Paper tray media weight	60 - 120 g/m ²
Warm-up time	14 s	Multi-Purpose Tray media weight	60 - 199 g/m ²
Time to first page (black, normal)	5 s	Ports & interfaces	
Secure printing	✓	Direct printing *	✓
Copying		USB port	✓
Duplex copying *	✓	USB 2.0 ports quantity	1
Duplex copying mode	Auto	Network	
Copying *	Mono copying	Wi-Fi *	✓
Maximum copy resolution *	600 x 600 DPI	Ethernet LAN *	✓
Time to first copy (black, normal)	6.1 s	Cabling technology	10/100/1000Base-T(X)
Maximum number of copies	999 copies	Ethernet LAN data rates	10,100,1000 Mbit/s
Copier resize	25 - 400%	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
N-in-1 copy function	✓	Wi-Fi Direct	✓
N-in-1 copy function (N=)	2, 4	Security algorithms	WPA2-AES, WPA2-EAP, 64-bit WEP, WPA2-PSK, 128-bit WEP, WPA2-TKIP, WPA-AES, WPA-PSK, WPA-TKIP
ID-card copy function	✓	Management protocols	SNMPv1, SNMPv3
Scanning		Mobile printing technologies	Mopria Print Service, Apple AirPrint, Canon PRINT Business
Duplex scanning *	✓	Performance	
Scanning *	Colour scanning	Internal storage capacity	4 GB
Optical scanning resolution *	600 x 600 DPI	Storage media	eMMC
Scanner type *	ADF scanner	Internal memory *	1000 MB
Scan to	Cloud, E-mail, FTP, PC, USB		
Input colour depth	24 bit		

Scanning		Performance	
Output colour depth	24 bit	Built-in processor	✓
Greyscale levels	256	Processor frequency	1200 MHz
Scan drivers	ICA, TWAIN, WIA	Design	
Fax		Product colour *	Black, White
Duplex faxing	✓	Market positioning *	Business
Faxing *	Mono faxing	Built-in display *	✓
Fax transmission speed	3 sec/page	Display	LCD
Fax memory	512 pages	Control type	Touch
Speed dialling	✓	Colour display	✓
Auto reduction	✓	Power	
Error Correction Mode (ECM)	✓	Power consumption (max)	1280 W
Features		Power consumption (printing)	480 W
Recommended duty cycle	750 - 4000 pages per month	Power consumption (standby)	8 W
Maximum duty cycle *	80000 pages per month	Power consumption (sleep)	0.9 W
Duplex functions *	Copy, Fax, Print, Scan	Energy Star Typical Electricity Consumption (TEC)	0.32 kWh/week
Number of print cartridges *	1	AC input voltage	220 - 240 V
Printing colours *	Black	AC input frequency	50/60 Hz
Page description languages	UFR II, PCL 5e, PCL 6, PostScript 3	System requirements	
Input & output capacity		Windows operating systems supported	Windows 10, Windows 11
Total number of input trays *	1	Mac operating systems supported	Mac OS X 10.15 Catalina, Mac OS X 10.7 Lion, Mac OS X 10.15.3 Catalina, Mac OS X 10.7.5 Lion, Mac OS X 10.2 Jaguar, Mac OS X 10.8 Mountain Lion, Mac OS X 10.3 Panther, Mac OS X 10.9 Mavericks, Mac OS X 10.4 Tiger, Mac OS X 11.0 Big Sur, Mac OS X 10.13 High Sierra, Mac OS X 10.5 Leopard, Mac OS X 12.0 Monterey, Mac OS X 10.14 Mojave, Mac OS X 10.6 Snow Leopard, Mac OS X 13.0 Ventura
Total input capacity *	250 sheets		
Total output capacity *	150 sheets		
Multi-Purpose tray	✓		
Multi-Purpose tray input capacity	100 sheets		
Maximum input capacity	900 sheets		
Paper handling		Linux operating systems supported	✓
Maximum ISO A-series paper size *	A4	Server operating systems supported	Windows Server 2019, Windows Server 2012 R2, Windows Server 2022, Windows Server 2016, Windows Server 2012
Maximum print size	216 x 355.6 mm		
Paper tray media types *	Coated paper, Envelopes, Heavy paper, Labels, Plain paper, Postcard, Recycled paper, Thin paper	Operational conditions	
		Operating relative humidity (H-H)	20 - 80%
		Operating temperature (T-T)	10 - 30 °C
		Weight & dimensions	
		Width	420 mm
		Depth	460 mm
		Height	375 mm
		Weight	15.6 kg

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 13-MAR-2025. Prints or copies of Information are only valid on the printed Publication date