

Brother PDS-5000F scanner Scanner a piano e ADF 600 x 600 DPI A4 Nero

Marchio : Brother

Codice prodotto: PDS-5000F

Nome del prodotto : PDS-5000F

- Fino a 60ppm (120ipm) in fronte-retro A4. Scansione da piano fisso in 1,8 secondi
 - Driver TWAIN, WIA, ICA, SANE, ISIS
 - Il piano fisso consente la scansione di fogli di carta delicata, brochure, riviste, documenti in raccoglitori e fotografie.
 - Elaborazione avanzata delle immagini
 - Velocità di scansione da ADF: fino a 60 ppm / 120 ipm. Capacità ADF: fino a 100 fogli
 - Scansione verso e-mail, immagine, OCR, file, SharePoint, PDF ricercabili®, rete, FTP, stampante
- Ideale per scansione e archiviazione di documenti multipli, di fascicoli e documenti rilegati, ad altissima velocità, con unità fronte-retro, ADF e piano fisso



Scansione		Gestione energetica	
Massima dimensione di scansione *	216 x 5994 mm	Consumi	53 W
Risoluzione di scansione ottica *	600 x 600 DPI	Consumi (modalità stand-by)	17,6 W
Scansione colore	✓	Consumi (modalità spento)	0,3 W
Scansione fronte/retro *	✓	Consumi (modalità risparmio energetico)	2,7 W
Profondità di scansione del colore in entrata	48 bit	Dimensioni e peso	
Profondità di scansione del colore in uscita	24 bit	Larghezza	438 mm
Livelli di scala di grigi	256	Profondità	380 mm
Velocità di scansione ADF (n/b, A4)	60 ppm	Altezza	725 mm
Velocità di scansione ADF (colore, A3)	60 ppm	Peso	6,7 kg
Modalità di colore di scansione in bianco e nero	Monocromatico	Dati su imballaggio	
Design		Larghezza imballo	730 mm
Tipo di scansione *	Scanner a piano e ADF	Profondità imballo	439 mm
Colore del prodotto *	Nero	Altezza imballo	386 mm
Tipologia display	LCD	Peso dell'imballo	9,2 kg
Display incorporato *	✗	Contenuto dell'imballo	
Prestazione		Cavi inclusi	USB
Tipo sensore *	CCD	Drivers inclusi	✓
Fonte di luce	LED	Sostenibilità	
Formati file scanner	BMP, DOC, HTM, JPG, PDF, PNG, RTF, TIFF, TXT, XLS, XPS	Certificati di sostenibilità	ENERGY STAR
Scansione a	E-mail, FTP, File, HTTP, Immagine, OCR		
Driver di scansione	ICA, SANE, TWAIN, WIA		
Rumorosità (in scansione)	55 dB		
RAM installata	512 MB		
Processore integrato	Avision Vision Max II		
Frequenza del processore	240 MHz		

Capacità di input		Requisiti di sistema	
Capacità documenti	100 fogli		Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Carta			Mac OS X 10.10 Yosemite, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Scanning media types supported	Etichette, Scheda plastica, Carta sottile		Debian 5.0, Debian 5.0.1, Debian 5.0.2, Debian 5.0.3, Debian 6.0, Debian 7.0, Debian 8.0, Fedora 11, Fedora 12, Fedora 13, Fedora 14, Fedora 15, Fedora 18, Fedora 6, Fedora 7, Fedora 8, Fedora 9, SuSE Linux 10, SuSE Linux 10.2, SuSE Linux 10.3, SuSE Linux 11, SuSE Linux 11.1, SuSE Linux 11.2, SuSE Linux 12.0, SuSE Linux 9.3
Massimo formato carta serie ISO A *	A4		
Peso supporto, alimentazione manuale	28 - 400 g/m²		
Connettività			
Porta USB *	✓		
Versione USB	3.2 Gen 1 (3.1 Gen 1)		
Interfaccia standard	USB 3.2 Gen 1 (3.1 Gen 1)		
Gestione energetica		Sistema operativo Windows supportato	
Tipo alimentazione *	AC		
		Compatibilità sistema operativo Mac	
		Sistema operativo Linux supportato	
Condizioni ambientali			
Intervallo temperatura di funzionamento	5 - 35 °C		
Range di umidità di funzionamento	20 - 80%		
Altre caratteristiche			
Conservazione dei pezzi di ricambio	5 anno/i		
Dettagli tecnici			
Tipo di pallet	1200 x 1000 mm		
Dati logistici			
Quantità per pallett	12 pz		
Paese di origine	Cina		
Numero di cartoni per pallet	12 pz		
Numero di livelli per pallet	4 pz		
Peso del pallet	195,6 kg		
Altezza del pallet	16,3 cm		
Numero di scatole per strato	3 pz		
Codice del Sistema Armonizzato (SA)	84716070		



4977766754798

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.