

## GIGABYTE MC62-G40 AMD WRX80 Base sWRX8 SSI CEB

**Marchio :** GIGABYTE

**Codice prodotto:** 9MC62G40NR-00

**Nome del prodotto :** MC62-G40

GIGABYTE MC62-G40. Produttore processore: AMD, Presa per processore: Base sWRX8, Processori compatibili: AMD Ryzen Threadripper PRO 3000 WX-Series. Tipi di memoria supportati: DDR4-SDRAM, RAM massima supportata: 2 TB, tipo di slot di memoria: DIMM. Interfacce dell'unità di archiviazione supportate: M.2, SATA III, Tipi di unità di archiviazione supportate: HDD & SSD, Livelli RAID: 0, 1, 5, 10. Risoluzione massima: 1920 x 1200 Pixel, Modello scheda grafica integrata: Aspeed AST2600. Tipo di interfaccia Ethernet: 10 Gigabit Ethernet, Gigabit Ethernet, Controller LAN: Intel I210, Intel® X550-AT2



<b>Processor</b>		<b>Internal I/O</b>	
Processor manufacturer *	AMD	12V power connector	✓
Processor socket *	Socket sWRX8	<b>Rear panel I/O ports</b>	
Compatible processor series *	AMD Ryzen Threadripper PRO 3000 WX-Series	USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	4
Maximum number of SMP processors	1	Ethernet LAN (RJ-45) ports *	3
<b>Memory</b>		VGA (D-Sub) ports quantity *	1
Supported memory types *	DDR4-SDRAM	<b>Network</b>	
Number of memory slots *	8	Ethernet LAN	✓
Memory slots type	DIMM	Ethernet interface type	10 Gigabit Ethernet, Gigabit Ethernet
Memory channels	Octa-channel	LAN controller	Intel I210, Intel® X550-AT2
ECC compatibility	ECC & Non-ECC	Wi-Fi *	✗
Supported memory clock speeds	2133,2400,2666,2933,3200 MHz	<b>Features</b>	
Maximum internal memory *	2 TB	Motherboard chipset *	AMD WRX80
Unbuffered memory	✓	Audio chip	Realtek ALC4080
<b>Storage controllers</b>		Audio output channels *	7.1 channels
Supported storage drive types	HDD & SSD	Component for *	Server
Supported storage drive interfaces *	M.2, SATA III	Motherboard form factor *	SSI CEB
RAID support	✓	Motherboard chipset family *	AMD
RAID levels	0, 1, 5, 10	Linux operating systems supported	Ubuntu 20.04 LTS
<b>Graphics</b>		Windows operating systems supported	Windows 10 x64
Parallel processing technology support *	Not supported	<b>Expansion slots</b>	
Maximum resolution	1920 x 1200 pixels	PCI Express x16 (Gen 4.x) slots	7
On-board graphics card model	Aspeed AST2600	Number of M.2 (M) slots	2
<b>Internal I/O</b>		<b>Operational conditions</b>	
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2	Storage temperature (T-T)	-40 - 60 °C

Internal I/O		Operational conditions	
Number of SATA III connectors *	4	Operating temperature (T-T)	10 - 40 °C
Front panel connector	✓	Operating relative humidity (H-H)	8 - 80%
ATX Power connector (24-pin)	✓	Storage relative humidity (H-H)	20 - 95%
CPU fan connector	✓	Logistics data	
Number of chassis fan connectors	8	Harmonized System (HS) code	84733020
Number of COM connectors	1	Weight & dimensions	
TPM connector	✓	Width	305 mm
		Depth	267 mm
		Packaging content	
		Cables included	SATA



4719331822927

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.