



Poly Studio X72 All-In-One Video Bar with TC10 Controller Kit



Marchio : Poly

Codice prodotto: A4MA7AA

Nome del prodotto : Poly Studio X72 All-In-One Video Bar with TC10 Controller Kit

Poly Studio X72 All-In-One Video Bar with TC10 Controller Kit

[Poly Studio X72 All-In-One Video Bar with TC10 Controller Kit:](#)

Made for big rooms and even bigger ideas

Don't let the size of the room slow your team down during hybrid meetings. Easily set up the Poly Studio X72 all-in-one video bar with AI-enhanced video and audio technology, seamless scalability and flexibility to join nearly any cloud video call.

Poly Studio X72 All-In-One Video Bar with TC10 Controller Kit. Tipo di prodotto: Barra di collaborazione video. Tipologia HD: 4K Ultra HD, Modalità video supportate: 1080p, 720p, 2160p. Zoom digitale: 7,3x. Collegamento ethernet LAN, Wi-Fi. Bluetooth, Colore del prodotto: Nero

Prestazione		Collegamento in rete	
Bluetooth	✓	Collegamento ethernet LAN *	✓
Versione Bluetooth	5.0	Velocità trasferimento Ethernet LAN	10,1000,100 Mbit/s
Colore del prodotto *	Nero	Wi-Fi	✓
Tipo di prodotto *	Barra di collaborazione video	Standard Wi-Fi	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
Video		Macchina fotografica	
Tipologia HD *	4K Ultra HD	Megapixel *	20 MP
Risoluzione massima video *	3840 x 2160 Pixel	Tipologia fotocamera	Doppia fotocamera
Modalità video supportate	1080p, 720p, 2160p	Risoluzione seconda fotocamera	20 MP
Risoluzioni grafiche supportate	1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1400 x 1050 (SXGA+), 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA), 3840 x 2160	Zoom fotocamera	✓
	H.264, H.265, AVC	Zoom digitale	7,3x
Formati video supportati	H.264, H.265, AVC	campo di visione orizzontale	120°
Audio		Condizioni ambientali	
Altoparlanti incorporati	✓	Intervallo temperatura di funzionamento	0 - 40 °C
Numero di altoparlanti	2	Range di umidità di funzionamento	15 - 80%
Codec voce	G.165, G.719, G.722, G.722.1, G.728, G.729A	Intervallo di temperatura	-40 - 70 °C
Potenza in uscita (RMS)	20 W	Umidità	5 - 95%
Connettività		Dissipazione del calore	65 BTU/h
		Dimensioni e peso	
Quantità delle porte di uscita HDMI	2	Larghezza	840,2 mm
Quantità delle porte di ingresso HDMI	1	Profondità	117,9 mm
Quantità di porte USB 3.2 Gen 2 (3.1 Gen 2) di tipo A	2	Altezza	135,4 mm
Quantità di porte USB 3.2 Gen 1 (3.1 Gen 1) di tipo C	1	Peso	3,3 kg
Quantità porte Ethernet LAN (RJ-45)	2		



0198415349408



198415349408



0198415349415



198415349415



0198415349422



198415349422



0198415349439



198415349439



0198415349446



198415349446



0198415349453



198415349453



0198415349385



198415349385



0198415349330



198415349330




0198415349392



198415349392



0198415349347



198415349347



4582712478965



0198415349378



198415349378



0198415349361




198415349361



0198415349354



198415349354



0199251229053



199251229053

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.