brother
at your side

Brother HL-L6210DW stampante laser 1200 x 1200 DPI A4 Wi-Fi

Marchio : Brother

Codice prodotto: HL-L6210DW

Nome del prodotto : HL-L6210DW

Stampa wireless ultra veloce, 50 ppm, stampa fronte-retro fino a 24 lati al minuto, toner inbox 6.000 pagine. Toner opzionale fino a 18.000 pagine.

Brother HL-L6210DW stampante laser 1200 x 1200 DPI A4 Wi-Fi:

Progettata per offrire prestazioni professionali grazie alle opzioni di connettività flessibile e alla stampa ad altissima velocità e di elevata qualità Il toner in dotazione a elevata capacità consente di stampare più a lungo riducendo notevolmente i costi di stampa. Inoltre, la robusta qualità della struttura e le flessibili opzioni di gestione della carta rendono HL-L6210DW il partner di stampa ideale per ogni azienda.

Compatibile con le soluzioni Brother e le soluzioni di terze parti (Kofax, YSoft e altri)19
Disponibile con contratto di servizi di stampa gestita (MPS)

Printing

Duplex printing mode	Auto
Colour *	✗
Print technology *	Laser
Duplex printing *	✔
Maximum resolution *	1200 x 1200 DPI
Print speed (black, normal quality, A4/US Letter) *	50 ppm
Time to first page (black, normal)	6.7 s

Features

Printing colours *	Black
Number of print cartridges *	1
Page description languages *	BR-Script 3, PCL 6, PDF, XPS

Input & output capacity

Total number of input trays *	1
Total input capacity *	100 sheets
Total output capacity *	250 sheets

Paper handling

Maximum ISO A-series paper size *	A4
Paper tray media types *	Bond paper, Envelopes, Executive, Labels, Letterhead, Plain paper, Recycled paper, Thick paper, Thin paper
ISO A-series sizes (A0...A9) *	A4, A5, A6
Non-ISO print media sizes	Legal, Letter
JIS B-series sizes (B0...B9)	B5
Envelopes sizes	C5, Com-10, DL, Monarch

Ports & interfaces

USB port *	✔

Network

Supported network protocols (IPv4)	ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/v3, ICMP, Web Services (Print), CIFS client, SNTP client, Syslog
Supported network protocols (IPv6)	NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/v3, ICMPv6, Web Services (Print), CIFS Client, SNTP Client, Syslog

Performance

Internal memory *	1024 MB

Design

Market positioning *	Home & office
Product colour *	Black, White
Built-in display *	✔
Colour display	✗

Power

Power consumption (printing) *	710 W
Power consumption (ready)	31 W
Power consumption (off)	0.05 W
AC input voltage	220 - 240 V
AC input frequency	50/60 Hz

Ports & interfaces

USB connector	USB Type-A / USB Type-B

Network

Wi-Fi *	✔
Ethernet LAN *	✔
Cabling technology	10/100/1000Base-T(X)
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n)
Security algorithms	64-bit WEP, 128-bit WEP, WPA-AES, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSK, WPA2-TKIP, WPA3-SAE

System requirements

Windows operating systems supported	Windows 10, Windows 11

Operational conditions

Operating temperature (T-T)	10 - 32.5 °C
Storage temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	35 - 85%

Weight & dimensions

Width	373 mm
Depth	388 mm
Height	289 mm
Weight	12.7 kg

Packaging data

Package weight	15 kg

0012502666509

012502666509

4977766815147