
PHILIPS

Philips 55BDL3650Q Pannello piatto per segnaletica digitale 139,7 cm (55") LCD Wi-Fi 350 cd/m² 4K Ultra HD Nero Processore integrato Android 10 18/7

Marchio: Philips Codice prodotto: 55BDL3650Q/00


Nome del prodotto: 55BDL3650Q





Display		Design	
Panel type	ADS	Bezel width (side)	1.39 cm
LED backlight	✓	Bezel width (top)	1.39 cm
LED backlighting type	Direct-LED	Performance	
Display diagonal *	139.7 cm (55")	Purpose *	Universal
Display technology * Display resolution *	LCD 3840 x 2160 pixels	On Screen Display (OSD)	✓
Display brightness *	350 cd/m ²	Operating hours (hours/days)	18/7
HD type *	4K Ultra HD	Mean time between failures (MTBF)	50000 h
Touchscreen *	×	Power	
Native aspect ratio	16:9	Power consumption (typical) *	130 W
Response time	9 ms	Power consumption (standby) *	0.5 W
Contrast ratio (typical)	1300:1	Power consumption (max)	200 W
Contrast ratio (dynamic)	500000:1	Energy efficiency class (SDR)	G
Viewing angle, horizontal	178°	AC input voltage	100-240 V
Viewing angle, vertical	178°	AC input frequency	50-60 Hz
Display number of colours	1.07 billion colours	Energy efficiency scale	A to G
Pixel pitch	0.315 x 0.315 mm	Computer system	
Display diagonal (metric)	138.7 cm	Computer system *	✓
Native refresh rate Haze rate	60 Hz 2%	Computer system type	System on Chip (SoC)
	270	Built-in processor *	✓
Ports & interfaces		Processor family	ARM Cortex
HDMI ports quantity *	2	Processor architecture	ARM Cortex-A55
HDMI version	2.0	Processor cores	4
DVI port *	✓	Internal memory	3 GB
DVI-I ports quantity	1	Internal storage capacity	16 GB
USB port *			
•	/	Operating system installed	Android 10
USB ports quantity	3	Operating system installed Weight & dimensions	Android 10
USB ports quantity USB version	3 2.0/3.2 Gen 1 (3.1 Gen 1)	Weight & dimensions Display width	1241.8 mm
USB ports quantity USB version Ethernet LAN *	3 2.0/3.2 Gen 1 (3.1 Gen 1)	Weight & dimensions Display width Display depth	1241.8 mm 63.6 mm
USB ports quantity USB version Ethernet LAN * Ethernet LAN (RJ-45) ports	3 2.0/3.2 Gen 1 (3.1 Gen 1) 1	Weight & dimensions Display width Display depth Display height	1241.8 mm 63.6 mm 712.6 mm
USB ports quantity USB version Ethernet LAN * Ethernet LAN (RJ-45) ports Wi-Fi *	3 2.0/3.2 Gen 1 (3.1 Gen 1) 1	Weight & dimensions Display width Display depth	1241.8 mm 63.6 mm
USB ports quantity USB version Ethernet LAN * Ethernet LAN (RJ-45) ports Wi-Fi * RS-232C	3 2.0/3.2 Gen 1 (3.1 Gen 1) 1	Weight & dimensions Display width Display depth Display height	1241.8 mm 63.6 mm 712.6 mm
USB ports quantity USB version Ethernet LAN * Ethernet LAN (RJ-45) ports Wi-Fi * RS-232C Infrared data port	3 2.0/3.2 Gen 1 (3.1 Gen 1) 1	Weight & dimensions Display width Display depth Display height Display weight	1241.8 mm 63.6 mm 712.6 mm
USB ports quantity USB version Ethernet LAN * Ethernet LAN (RJ-45) ports Wi-Fi * RS-232C Infrared data port Card reader integrated	3 2.0/3.2 Gen 1 (3.1 Gen 1) 1	Weight & dimensions Display width Display depth Display height Display weight Packaging content	1241.8 mm 63.6 mm 712.6 mm 16.6 kg
USB ports quantity USB version Ethernet LAN * Ethernet LAN (RJ-45) ports Wi-Fi * RS-232C Infrared data port Card reader integrated Compatible memory cards	3 2.0/3.2 Gen 1 (3.1 Gen 1) 1	Weight & dimensions Display width Display depth Display height Display weight Packaging content Remote control included	1241.8 mm 63.6 mm 712.6 mm 16.6 kg
USB ports quantity USB version Ethernet LAN * Ethernet LAN (RJ-45) ports Wi-Fi * RS-232C Infrared data port Card reader integrated Compatible memory cards Audio	3 2.0/3.2 Gen 1 (3.1 Gen 1) 1 MicroSD (TransFlash)	Weight & dimensions Display width Display depth Display height Display weight Packaging content Remote control included Batteries included	1241.8 mm 63.6 mm 712.6 mm 16.6 kg
USB ports quantity USB version Ethernet LAN * Ethernet LAN (RJ-45) ports Wi-Fi * RS-232C Infrared data port Card reader integrated Compatible memory cards	3 2.0/3.2 Gen 1 (3.1 Gen 1) 1 W MicroSD (TransFlash)	Weight & dimensions Display width Display depth Display height Display weight Packaging content Remote control included Batteries included Cables included	1241.8 mm 63.6 mm 712.6 mm 16.6 kg
USB ports quantity USB version Ethernet LAN * Ethernet LAN (RJ-45) ports Wi-Fi * RS-232C Infrared data port Card reader integrated Compatible memory cards Audio	3 2.0/3.2 Gen 1 (3.1 Gen 1) 1 MicroSD (TransFlash)	Weight & dimensions Display width Display depth Display height Display weight Packaging content Remote control included Batteries included Cables included Operational conditions	1241.8 mm 63.6 mm 712.6 mm 16.6 kg

Design		Operational conditions	
Product design *	Digital signage flat panel Indoor Horizontal/Vertical Black	Storage relative humidity (H-H)	5 - 95%
Placement supported *		Other features	
Orientation		Quick start guide	✓
Product colour *		Audio input	1
VESA mounting *	✓ 400 x 400 mm	Audio output	1
Panel mounting interface Bezel width (bottom)	1.39 cm		





8712581799311

0685417598588



685417598588

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.