



LG 32TNF5J-B.AEU visualizzatore di messaggi Pannello piatto per segnaletica digitale 81,3 cm (32") LCD 500 cd/m² Full HD Nero Touch screen WebOS 24/7

Marchio : LG

Codice prodotto: 32TNF5J-B.AEU

Nome del prodotto : 32TNF5J-B.AEU

LG 32TNF5J-B.AEU. Design del prodotto: Pannello piatto per segnaletica digitale. Dimensioni diagonale schermo: 81,3 cm (32"), Tecnologia display: LCD, Risoluzione del display: 1920 x 1080 Pixel, Luminosità schermo: 500 cd/m², Tipologia HD: Full HD, Touch screen. Ore di servizio (ore/giorni): 24/7. Sistema operativo incluso: WebOS. Colore del prodotto: Nero



Display		Design	
Panel type	IPS	Screen shape	Flat
Display diagonal *	81.3 cm (32")	VESA mounting *	✓
Display technology *	LCD	Panel mounting interface	200 x 200 mm
Display resolution *	1920 x 1080 pixels	Positioning accuracy	3.5 mm
Display brightness *	500 cd/m ²	Performance	
HD type *	Full HD	Purpose *	Commercial
Touchscreen *	✓	Browsing	✓
Number of simultaneous touchpoints	10	Operating hours (hours/days)	24/7
Multi-touch	✓	Writing tools	Finger
Response time	9 ms	HDCP	✓
Contrast ratio (typical)	1000:1	HDCP version	1.4
Viewing angle, horizontal	178°	Power	
Viewing angle, vertical	178°	Power consumption (typical) *	55 W
Display number of colours	16.7 million colours	AC input voltage	100-240 V
Number of displays	1	AC input frequency	50-60 Hz
Colour saturation	72%	Heat dissipation	222 BTU/h
Haze rate	3%	Computer system	
Touch response time	9 ms	Computer system *	✗
Ports & interfaces		Built-in processor *	✗
HDMI ports quantity *	2	Internal memory	8 GB
HDMI version	2.0	Operating system installed	WebOS
DVI port *	✗	Windows operating systems supported	Windows 10
USB port *	✓	Weight & dimensions	
USB ports quantity	2	Display width	723 mm
USB version	2.0	Display depth	39.1 mm
USB connector type	USB Type-A, USB Type-B	Display height	419.4 mm
Ethernet LAN *	✓	Weight (with stand)	5.6 kg
Ethernet LAN (RJ-45) ports	1	Packaging content	
Wi-Fi *	✗	Remote control included	✓
Audio (L/R) out	1	Batteries included	✓
RS-232 interface	✓	Power adapter included	✓
RS-232C	✓		
Infrared data port	✓		

Ports & interfaces		Packaging content	
Remote (IR) input	1	Cables included	AC, RS-232, USB Type-A, USB Type-A to USB Type-B
Design		Operational conditions	
Product design *	Digital signage flat panel	Operating temperature (T-T)	0 - 40 °C
Placement supported *	Indoor	Operating relative humidity (H-H)	10 - 80%
Orientation	Horizontal/Vertical	Features	
Product colour *	Black	Suitable for indoor use	✓
		Wall mountable	✓

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 13-MAR-2025. Prints or copies of Information are only valid on the printed Publication date