



## LG 49XS4J-B 124,5 cm (49") IPS Wi-Fi 4000 cd/m<sup>2</sup> Full HD+ Nero WebOS 24/7

Marchio : LG

Codice prodotto: 49XS4J-B.AEU

Nome del prodotto : 49XS4J-B



LG 49XS4J-B. Dimensioni diagonale schermo: 124,5 cm (49"), Tecnologia display: IPS, Risoluzione del display: 1920 x 1080 Pixel, Luminosità schermo: 4000 cd/m<sup>2</sup>, Tipologia HD: Full HD+. Wi-Fi. Ore di servizio (ore/giorni): 24/7. Sistema operativo incluso: WebOS. Colore del prodotto: Nero



Display		Design	
Panel type	IPS	Panel mounting interface	400 x 600 mm
Display diagonal *	124.5 cm (49")	Bezel width (bottom)	9 mm
Display technology *	IPS	Bezel width (side)	6.5 mm
Display resolution *	1920 x 1080 pixels	Bezel width (top)	9 mm
Display brightness *	4000 cd/m <sup>2</sup>	<b>Performance</b>	
HD type *	Full HD+	Analog signal format system	NTSC
Touchscreen *	✗	Operating hours (hours/days)	24/7
Response time	8 ms	<b>Power</b>	
Contrast ratio (typical)	1300:1	Power consumption (typical) *	345 W
Contrast ratio (dynamic)	500000:1	AC input voltage	100 - 240 V
Viewing angle, horizontal	178°	AC input frequency	50 - 60 Hz
Viewing angle, vertical	178°	Heat dissipation	1177 BTU/h
Display number of colours	1.07 billion colours	<b>Computer system</b>	
Colour saturation	67%	Computer system *	✓
RGB colour space	NTSC	Computer system type	System on Chip (SoC)
<b>Ports &amp; interfaces</b>		Internal memory	16 GB
HDMI ports quantity *	2	Operating system installed	WebOS
HDMI version	1.4	<b>Weight &amp; dimensions</b>	
HDMI input ports quantity	2	Display width	1092.7 mm
DVI port *	✗	Display depth	83.5 mm
DisplayPorts quantity *	2	Display height	626.4 mm
DisplayPorts in	1	Display weight	20.8 kg
DisplayPorts out	1	<b>Packaging data</b>	
USB port *	✓	Package weight	25.3 kg
USB ports quantity	1	<b>Packaging content</b>	
USB version	2.0	Remote control included	✓
Ethernet LAN *	✓	Batteries included	✓
Ethernet LAN (RJ-45) ports	1	Cables included	HDMI
Wi-Fi *	✓	<b>Operational conditions</b>	
Number of speaker outputs	2	Operating temperature (T-T)	0 - 40 °C
RS-232C	✓	Operating relative humidity (H-H)	10 - 80%
Remote (IR) input	1		
<b>Audio</b>			
Built-in speaker(s) *	✗		

Design		Certificates	
Placement supported *	Indoor	Certification	CB / NRTL, FCC Class "A" / CE / KC / VCCI, ErP
Orientation	Horizontal/Vertical	<b>Logistics data</b>	
Product colour *	Black	Harmonized System (HS) code	85285210
VESA mounting *	✓	<b>Features</b>	
		Base colour	Black
		Wall mountable	✓

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 13-MAR-2025. Prints or copies of Information are only valid on the printed Publication date