




LG 55UL3J-M visualizzatore di messaggi Pannello piatto per segnaletica digitale 139,7 cm (55") LCD Wi-Fi 400 cd/m² 4K Ultra HD Blu WebOS 16/7

Marchio : LG

Codice prodotto: 55UL3J-M

Nome del prodotto : 55UL3J-M

LG 55UL3J-M. Design del prodotto: Pannello piatto per segnaletica digitale. Dimensioni diagonale schermo: 139,7 cm (55"), Tecnologia display: LCD, Risoluzione del display: 3840 x 2160 Pixel, Luminosità schermo: 400 cd/m², Tipologia HD: 4K Ultra HD. Wi-Fi. Ore di servizio (ore/giorni): 16/7. Sistema operativo incluso: WebOS. Colore del prodotto: Blu



Compatible with LG One:Quick Share



Display		Performance	
Panel type	ADS	Operating hours (hours/days)	16/7
LED backlight	✓	HDCP	✓
LED backlighting type	Direct-LED	HDCP version	1.4/2.2
Display diagonal *	139.7 cm (55")	Power	
Display technology *	LCD	Power consumption (typical) *	105 W
Display resolution *	3840 x 2160 pixels	Power consumption (standby) *	0.5 W
Display brightness *	400 cd/m²	Power consumption (max)	160 W
HD type *	4K Ultra HD	Energy efficiency class (SDR)	G
Touchscreen *	✗	Energy consumption (SDR) per 1000 hours	102 kWh
Contrast ratio (typical)	1200:1	AC input voltage	100-240 V
Contrast ratio (dynamic)	1000000:1	AC input frequency	50 - 60 Hz
Viewing angle, horizontal	178°	Energy efficiency scale	A to G
Viewing angle, vertical	178°	Computer system	
Display number of colours	1.07 billion colours	Computer system *	✓
Native refresh rate	60 Hz	Computer system type	System on Chip (SoC)
Haze rate	1%	Internal memory	16 GB
Ports & interfaces		Operating system installed	WebOS
HDMI ports quantity *	3	Operating system version	6.0
HDMI input ports quantity	3	Weight & dimensions	
DVI port *	✗	Display width	1235 mm
USB port *	✓	Display depth	57.5 mm
USB ports quantity	2	Display height	715 mm
USB version	2.0	Display weight	14 kg
Ethernet LAN *	✓	Packaging data	
Ethernet LAN (RJ-45) ports	1	Package width	1360 mm
Wi-Fi *	✓	Package depth	162 mm
RS-232C	✓	Package height	810 mm
Audio		Package weight	18.8 kg
Built-in speaker(s) *	✓	Packaging content	
Design		Remote control included	✓
Product design *	Digital signage flat panel	Batteries included	✓
Placement supported *	Indoor	Cables included	AC, Phone
Orientation	Horizontal/Vertical		

Design		Operational conditions	
Product colour *	Blue	Operating temperature (T-T)	0 - 40 °C
VESA mounting *	✓	Operating relative humidity (H-H)	10 - 80%
Panel mounting interface	300 x 300 mm	Technical details	
Bezel width (bottom)	1.84 cm	Real Time Clock (RTC)	✓
Bezel width (side)	6.9 mm	Other features	
Bezel width (top)	6.9 mm	Power consumption (PowerSave)	73.5 W
Performance		Plug and Play	✓
Purpose *	Universal		
On Screen Display (OSD)	✓		
On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Greek, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Russian, Swedish, Turkish		



8806084396815



0195174062869



195174062869

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-MAR-2025. Prints or copies of Information are only valid on the printed Publication date