



LG 86UH5J-H visualizzatore di messaggi Pannello piatto per segnaletica digitale 2,18 m (86") IPS Wi-Fi 500 cd/m² 4K Ultra HD Nero WebOS 24/7

Marchio : LG

Codice prodotto: 86UH5J-H

Nome del prodotto : 86UH5J-H

LG 86UH5J-H. Design del prodotto: Pannello piatto per segnaletica digitale. Dimensioni diagonale schermo: 2,18 m (86"), Tecnologia display: IPS, Risoluzione del display: 3840 x 2160 Pixel, Luminosità schermo: 500 cd/m², Tipologia HD: 4K Ultra HD. Wi-Fi. Ore di servizio (ore/giorni): 24/7. Sistema operativo incluso: WebOS. Colore del prodotto: Nero



Display		Design	
LED backlighting type	Edge-LED	Bezel width (bottom)	1.43 cm
Display diagonal *	2.18 m (86")	Bezel width (side)	1.43 cm
Display technology *	IPS	Bezel width (top)	1.43 cm
Display resolution *	3840 x 2160 pixels	Performance	
Display brightness *	500 cd/m ²	Purpose *	Commercial
HD type *	4K Ultra HD	On Screen Display (OSD)	✓
Touchscreen *	✗	On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Greek, Italian, Japanese, Korean, Norwegian, Portuguese, Russian, Swedish, Turkish
Native aspect ratio	16:9		
Response time	8 ms	Ambient light sensor	✓
Contrast ratio (typical)	1100:1	Operating hours (hours/days)	24/7
Contrast ratio (dynamic)	1000000:1	HDCP	✓
Viewing angle, horizontal	178°	International Protection (IP) code	IP5X
Viewing angle, vertical	178°	HDCP version	1.4/2.2
Display number of colours	1.07 billion colours	Power	
Panel life	50000 h	Power consumption (typical) *	215 W
Native refresh rate	120 Hz	Power consumption (sleep)	0.5 W
Haze rate	28%	Power consumption (off)	0.5 W
RGB colour space	NTSC	AC input voltage	100 - 240 V
Ports & interfaces		AC input frequency	50-60 Hz
HDMI ports quantity *	3	Heat dissipation	733.69 BTU/h
HDMI version	2.2/1.4	Computer system	
DVI port *	✓	Internal memory	16 GB
DVI-D ports quantity	1	Operating system installed	WebOS
DisplayPorts quantity *	1	Weight & dimensions	
USB port *	✓	Display width	1926.2 mm
USB ports quantity	1	Display depth	60.6 mm
USB version	2.0	Display height	1097.2 mm
Ethernet LAN *	✓	Display weight	49 kg
Ethernet LAN (RJ-45) ports	1		
Wi-Fi *	✓		
Audio (L/R) in	1		
Audio (L/R) out	1		
RS-232C	✓		
Infrared data port	✓		

Ports & interfaces		Packaging data	
Remote (IR) input	1	Package width	2073 mm
Audio		Package depth	285 mm
Built-in speaker(s) *	✓	Package height	1250 mm
Design		Package weight	72.5 kg
Product design *	Digital signage flat panel	Packaging content	
Placement supported *	Indoor	Remote control included	✓
Orientation	Horizontal/Vertical	Batteries included	✓
Product colour *	Black	Cables included	AC
VESA mounting *	✓	Operational conditions	
Panel mounting interface	600 x 400 mm	Operating temperature (T-T)	0 - 40 °C
		Operating relative humidity (H-H)	10 - 80%
		Features	
		Heat dissipation (max)	955.5 BTU/h



8806091848475



0195174042830



195174042830

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-MAR-2025. Prints or copies of Information are only valid on the printed Publication date