



BenQ MU613 Proiettore a raggio standard 4000 ANSI lumen DLP WUXGA (1920x1200) Bianco

Marchio : BenQ

Codice prodotto: 9H.JKX77.13E

Nome del prodotto : MU613

BenQ MU613. Luminosità proiettore: 4000 ANSI lumen, Tecnologia di proiezione: DLP, Risoluzione nativa del proiettore: WUXGA (1920x1200). Tipo di sorgente luminosa: Lampada, Durata della sorgente luminosa: 4000 h, Durata della sorgente luminosa (modalità risparmio): 10000 h. Messa a fuoco: Manuale, Lunghezza focale: 15.843 - 17.445 mm, Range di apertura (F-F): 2 - 2,05. Risoluzioni grafiche supportate: 640 x 480 (VGA), 1920 x 1200 (WUXGA), Modalità video supportate: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p. Tipo interfaccia seriale: RS-232, Tipo di connettore HDMI: Taglia piena



Projector		Network	
Screen size compatibility *	762 - 7620 mm (30 - 300")	Smart TV *	✗
Projector brightness *	4000 ANSI lumens	Ethernet LAN *	✗
Projection technology *	DLP	Wi-Fi *	✗
Projector native resolution *	WUXGA (1920x1200)		
Contrast ratio (typical) *	10000:1		
Native aspect ratio *	16:10		
Number of colours	1.073 billion colours		
Horizontal scan range	15 - 102 kHz		
Vertical scan range	23 - 120 Hz		
Keystone correction, vertical	-40 - 40°		
Matrix size	1.19 cm (0.47")		
Matrix type	DMD		
Light source		Storage	
Light source type *	Lamp	Card reader integrated *	✗
Service life of light source *	4000 h		
Service life of light source (economic mode)	10000 h		
Lamp power	245 W		
Lamps quantity	1 lamp(s)		
Lens system		Multimedia	
Focus *	Manual	Built-in speaker(s) *	✓
Focal length range	15.843 - 17.445 mm	RMS rated power	2 W
Aperture range (F-F)	2 - 2.05	Number of built-in speakers	1
Zoom capability	✓		
Zoom type	Manual		
Zoom ratio	1.1:1		
Throw ratio	1.5 - 1.65		
Offset	100%		
		Design	
		Market positioning *	Presentation
		Product type *	Standard throw projector
		Product colour *	White
		Placement	Desktop
		Cable lock slot	✓
		Cable lock slot type	Kensington
		Display	
		Built-in display *	✗
		Power	
		Power source *	AC
		Power consumption (typical) *	110 W
		Power consumption (standby) *	0.5 W
		Power consumption (max)	260 W
		AC input voltage	100 - 240 V
		AC input frequency	50 - 60 Hz

Video		Operational conditions	
Full HD *	✓	Operating temperature (T-T)	0 - 40 °C
Supported graphics resolutions	640 x 480 (VGA), 1920 x 1200 (WUXGA)	Storage temperature (T-T)	-20 - 60 °C
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	Operating relative humidity (H-H)	10 - 90%
		Storage relative humidity (H-H)	10 - 90%
		Operating altitude	0 - 1499 m
Ports & interfaces		Weight & dimensions	
HDMI connector type	Full-size	Width	312 mm
USB 2.0 ports quantity	1	Depth	225 mm
Serial interface type *	RS-232	Height	110 mm
PC Audio in	✓	Weight *	2.63 kg
PC Audio out	✓		
VGA (D-Sub) ports quantity *	2	Packaging content	
HDMI ports quantity *	2	Remote control included *	✓
DVI port *	✗	Batteries included	✓
Mobile High-Definition Link (MHL)	✓	Cables included	AC, VGA
AC (power) in	✓	Manual	✓
		Logistics data	
		Harmonized System (HS) code	85286200



4718755077838

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 13-MAR-2025. Prints or copies of Information are only valid on the printed Publication date