

StarTech.com Hub USB-C con Ethernet a 3 porte - 3x porte USB-A, Gigabit Ethernet RJ45, USB 3.0 5Gbps, alimentazione tramite bus, cavo lungo 30 cm - Adattatore hub USB Type-C portatile con GbE



Marchio : StarTech.com

Codice prodotto: 5G3AGBB-USB-C-HUB

Nome del prodotto : Hub USB-C con Ethernet a 3 porte - 3x porte USB-A, Gigabit Ethernet RJ45, USB 3.0 5Gbps, alimentazione tramite bus, cavo lungo 30 cm - Adattatore hub USB Type-C portatile con GbE

StarTech.com Hub USB C con Ethernet a 3 porte USB-A, Gigabit Ethernet RJ45, USB 3.0 5Gbps, Alimentazione da bus fino a 15W, Cavo lungo 30cm - Adattatore hub USB Type-C portatile (5G3AGBB-USB-C-HUB)

Connettività		Software	
Tecnologia di connessione *	Cablato	Compatibilità sistema operativo Mac	Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 13.0 Ventura
Interfaccia host *	USB 3.2 Gen 1 (3.1 Gen 1) Type-C		
Quantità porte Micro-USB 2.0	1		
Quantità di porte USB 3.2 Gen 1 (3.1 Gen 1) di tipo A *	3		
Microfono, spinotto d'ingresso *	✗		
Collegamento in rete		Sistema operativo Linux supportato	✓
		Altri sistemi operativi supportati	Android
		Condizioni ambientali	
Collegamento ethernet LAN *	✓	Intervallo temperatura di funzionamento	0 - 70 °C
Quantità porte Ethernet LAN (RJ-45)	1	Intervallo di temperatura	-40 - 80 °C
Velocità trasferimento Ethernet LAN	10,100,1000 Mbit/s	Range di umidità di funzionamento	0 - 95%
Wake-on-LAN ready	✓	Sostenibilità	
Standard di rete	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x	Conformità alla sostenibilità	✓
Supporto Jumbo Frames	✓	Dimensioni e peso	
Frame Jumbo	9000	Larghezza	54 mm
Supporto controllo flusso	✓	Profondità	420 mm
Auto MDI/MDI-X	✓	Altezza	16 mm
Full duplex	✓	Peso	82 g
VLAN tagging	✓	Dati su imballaggio	
Prestazione		Larghezza imballo	142 mm
Letto di schede integrato *	✗	Profondità imballo	170 mm
Colore del prodotto *	Grigio	Altezza imballo	30 mm
Interfacce hub	Micro-USB, RJ-45, USB 3.2 Gen 1 (3.1 Gen 1) Type-A	Peso dell'imballo	138 g
Indicatori LED	Attività, Collegamento	Dettagli tecnici	
Supporto UASP	✓	Certificati di conformità	CE, RoHS
Materiale della scocca	Plastica		

Gestione energetica		Dati logistici	
Tipologia alimentazione	USB	Quantità per cartone principale	70 pz
Lunghezza cavo USB	0,3 m	Larghezza scatola principale	473 mm
Software		Lunghezza del cartone principale	340 mm
Sistema operativo Windows supportato	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IoT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64	Altezza scatola principale	440 mm
		Altre caratteristiche	
		Chipset	VIA/VLI - VL817, ASIX - AX88179A



0065030893268



065030893268

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.