

StarTech.com Adattatore scheda SuperSpeed USB 3.0 con 4 porte PCI Express (PCIe) con 4 canali da 5 Gbps dedicati - UASP - Alimentazione SATA/LP4


Marchio : StarTech.com

Codice prodotto: PEXUSB3S44V

Nome del prodotto : Adattatore scheda SuperSpeed USB 3.0 con 4 porte PCI Express (PCIe) con 4 canali da 5 Gbps dedicati - UASP - Alimentazione SATA/LP4

StarTech.com Scheda PCIe USB 3.0 a 4 porte con 4 canali dedicati a 5Gbps (USB 3.2 Gen 1) - UASP - Alimentazione SATA / LP4 - Scheda adattatore/Scheda di espansione PCI Express a 4x USB (PEXUSB3S44V)

StarTech.com Adattatore scheda SuperSpeed USB 3.0 con 4 porte PCI Express (PCIe) con 4 canali da 5 Gbps dedicati - UASP - Alimentazione SATA/LP4. Interfaccia host: PCIe, Interfaccia di uscita: USB 3.2 Gen 1 (3.1 Gen 1), Fattore di forma della scheda di espansione: Piena altezza/Basso profilo. Colore del prodotto: Nero, lunghezza massima cavo: 3 m. Chipset: Renesas/NEC - μ PD720202, Velocità massima di trasmissione: 20 Gbit/s. Sistema operativo Windows supportato: Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10..., Sistemi operativi server supportati: Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows.... Larghezza: 15 mm, Profondità: 167 mm, Altezza: 120 mm



Connettività		Requisiti di sistema		
Interfaccia host *	PCIe	Sistema operativo Linux supportato	✓	
Interfaccia di uscita *	USB 3.2 Gen 1 (3.1 Gen 1)	Sistemi operativi server supportati	Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019	
Fattore di forma della scheda di espansione	Piena altezza/Basso profilo			
Scheda di espansione standard	PCIe 2.0			
Quantità di porte USB 3.2 Gen 1 (3.1 Gen 1) di tipo A	4	Dettagli tecnici		
Connettori periferiche (Molex) (4-pin)	1	Certificati di conformità	RoHS	
Design		Dimensioni e peso		
Interno *	✓	Larghezza	15 mm	
Colore del prodotto	Nero	Profondità	167 mm	
lunghezza massima cavo	3 m	Altezza	120 mm	
Caratteristiche		Peso	92 g	
	Chipset	Renesas/NEC - μPD720202	Dati su imballaggio	
	Velocità massima di trasmissione	20 Gbit/s	Drivers inclusi	✓
Supporto UASP	✓	Manuale dell'utente	✓	
Condizioni ambientali		Guida utente	✓	
	Intervallo temperatura di funzionamento	0 - 50 °C	Larghezza imballo	145 mm
	Intervallo di temperatura	-20 - 60 °C	Profondità imballo	208 mm
Range di umidità di funzionamento	5 - 85%	Altezza imballo	41 mm	
		Peso dell'imballo	202 g	
		Dati logistici		
		Codice del Sistema Armonizzato (SA)	84733020	
		Quantità per cartone principale	40 pz	
		Larghezza scatola principale	418 mm	
		Lunghezza del cartone principale	441 mm	
		Altezza scatola principale	313 mm	

Requisiti di sistema

Sistema operativo Windows supportato

Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64



0065030854627



065030854627



5054484566939

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.