

## Allied Telesis AT-2911LTX/LC-001 Interno Ethernet 1000 Mbit/s

**Marchio :** Allied Telesis

**Codice prodotto:** 990-003598-001

**Nome del prodotto :** AT-2911LTX/LC-001



Allied Telesis AT-2911LTX/LC-001. Interno. Tecnologia di connessione: Cablato, Interfaccia host: PCI Express, Interfaccia: Ethernet. Velocità massima di trasferimento dati: 1000 Mbit/s


Connettività		Gestione energetica	
Tecnologia di connessione *	Cablato	Voltaggio di uscita	3.3 V
Interfaccia host *	PCI Express	Requisiti di sistema	
Interfaccia *	Ethernet	Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64	
Quantità porte Ethernet LAN (RJ-45)	1		
Porte Fibre Channel	1		
Connettore a fibra ottica	LC		
versione PCI	2.0		
Collegamento in rete			
Velocità massima di trasferimento dati *	1000 Mbit/s	Sistemi operativi server supportati	
Standard di rete *	IEEE 802.11a, IEEE 802.1Q, IEEE 802.2, IEEE 802.3ab, IEEE 802.3ac, IEEE 802.3ad, IEEE 802.3az, IEEE 802.3x, IEEE 802.3z	Windows Server 2003, Windows Server 2003 x64, Windows Server 2008, Windows Server 2008 R2, Windows Server 2008 R2 x64, Windows Server 2008 x64, Windows Server 2012, Windows Server 2012 R2, Windows Server 2012 R2 x64, Windows Server 2012 x64	
Collegamento ethernet LAN	✓	Sistema operativo Windows supportato	
Tipo di interfaccia Ethernet	Gigabit Ethernet		
Velocità trasferimento Ethernet LAN	10,100,1000 Mbit/s		
Tecnologia di cablaggio	10/100/1000BaseT(X)		
Supporto qualità del servizio (QoS)	✓		
VLAN tagging	✓		
Design			
Interno *	✓		
Condizioni ambientali			
Intervallo temperatura di funzionamento		0 - 40 °C	
Intervallo di temperatura		-20 - 70 °C	
Range di umidità di funzionamento		5 - 90%	
Dimensioni e peso			
Larghezza		88 mm	
Altezza		69 mm	
Peso		68 g	

**Dati su imballaggio**

Quantità per pacco	1 pz
--------------------	------

**Dettagli tecnici**

Certificati di conformità	RoHS
---------------------------	------



0767035197555



767035197555

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.