

TP-Link Tapo TC40 Cupola Telecamera di sicurezza IP Interno e esterno 1920 x 1080 Pixel Soffitto/Parete/Palo

Marchio : TP-Link

Famiglia del prodotto: Tapo

Codice prodotto: TAP0 TC40

Nome del prodotto : TC40

Outdoor Pan/Tilt Security Wi-Fi Camera, 1/3", 802.11b/g/n, IP65

TP-Link Tapo TC40. Tipo: Telecamera di sicurezza IP, Posizionamento supportato: Interno e esterno, Tecnologia di connessione: Wireless. Tipo di montaggio: Soffitto/Parete/Palo, Colore del prodotto: Bianco, Fattore di forma: Cupola. Angolo di rotazione: 360°. Dimensioni sensore ottico: 25,4 / 3 mm (1 / 3"). Distanza di visione notturna: 30 m, Tipo LED: IR, Lunghezza d'onda a infrarossi: 850 nm



Performance		Network	
Type *	IP security camera	Wi-Fi *	✓
Placement supported *	Indoor & outdoor	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Connectivity technology *	Wireless	Bluetooth *	✗
PTZ control	✓	Storage	
Auto-tracking	✓	Built-in HDD *	✗
Auto patrol mode	✓	Card reader integrated	✓
Virtual assistant	Amazon Alexa & Google Assistant	Compatible memory cards	MicroSD (TransFlash)
Antenna type	Internal	Maximum memory card size	512 GB
Certification	CE, FCC, RoHS, RCM	Security	
Design		Video motion detection	✓
Form factor *	Dome	Active tampering alarm	✓
Mounting type *	Ceiling/Wall/Pole	Security algorithms	128-bit AES, SSL/TLS, WPA, WPA2-PSK
Product colour *	White	Intelligent Video Surveillance (IVS) system features	Human detection
LED indicators	System	Management features	
International Protection (IP) code	IP65	Reset button	✓
Weatherproof	✓	Power	
Camera		Power source type *	AC
Camera pan control	✓	AC input voltage	100 - 240 V
Camera tilt control	✓	AC input frequency	50/60 Hz
Angle of rotation	360°	Power consumption (typical)	2.21 W
Image sensor		Power consumption (max)	8.78 W
Optical sensor size	25.4 / 3 mm (1 / 3")	DC output voltage	12
Lens system		DC output current	1 A
Number of lenses *	1	Operational conditions	
Night vision		Operating temperature (T-T)	-30 - 60 °C
Night vision *	✓	Storage temperature (T-T)	-40 - 60 °C
Night vision distance	30 m	Operating relative humidity (H-H)	10 - 90%
LED type	IR	Storage relative humidity (H-H)	5 - 90%
Infra-red wavelength	850 nm	Weight & dimensions	
Video		Width	123.8 mm
Maximum resolution *	1920 x 1080 pixels	Depth	123 mm
Total megapixels *	2 MP	Height	90 mm
Video compression formats	H.264		
Supported video modes	1080p		
Video recording	✓		
Frame rate	15 fps		

Video		Sustainability	
Privacy masking	✓	Compliance certificates	CE, Federal Communications Commission (FCC), RoHS
Audio		Packaging content	
Built-in speaker(s)	✓	Number of cameras *	1
Audio system	2-way	Mounting kit	✓
Built-in microphone	✓	Screws included	✓
Network		Anchors included	✓
Ethernet LAN *	✗	Packaging content	Tapo C500 Camera DC Power Adapter Anchors and Screws Mounting Template Waterproof Seal Quick Start Guide
Supported network protocols	TCP/IP, ICMP, DNS, HTTPS, TCP, UDP		



4895252505832

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-MAR-2025. Prints or copies of Information are only valid on the printed Publication date